

Please type a plus sign (+) inside this box → ☐

PTO/SB/05 (4/98)
Approved for use through 09/30/2000. OMB 0651-0032
Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

UTILITY PATENT APPLICATION TRANSMITTAL

(Only for new nonprovisional applications under 37 C.F.R. § 1.53(b))

Attorney Docket No. 214014600004

First Inventor or Application Identifier Brian K. Wharton

Title Electronic Commerce System And Method

Express Mail Label No. EL098131515US

APPLICATION ELEMENTS

See MPEP chapter 600 concerning utility patent application contents.

1. ☒ * Fee Transmittal Form (e.g., PTO/SB/17)
(Submit an original and a duplicate for fee processing)
2. ☒ Specification [Total Pages 35]
(preferred arrangement set forth below)
 - Descriptive title of the invention
 - Cross References to Related Applications
 - Statement Regarding Fed sponsored R & D
 - Reference to Microfiche Appendix
 - Background of the invention
 - Brief Summary of the invention
 - Brief Description of the Drawings (if filed)
 - Detailed Description
 - Claim(s)
 - Abstract of the Disclosure
3. ☒ Drawing(s) (35 U.S.C. 113) [Total Sheets 4]
4. Oath or Declaration [Total Pages 2]
 - a. ☒ Newly executed (original or copy)
 - b. ☐ Copy from a prior application (37 C.F.R. § 1.63(d))
(for continuation/divisional with Box 16 completed)
 - i. ☐ DELETION OF INVENTOR(S)
Signed statement attached deleting inventor(s) named in the prior application, see 37 C.F.R. §§ 1.63(d)(2) and 1.33(b).

* NOTE FOR ITEMS 1 & 13: IN ORDER TO BE ENTITLED TO PAY SMALL ENTITY FEES, A SMALL ENTITY STATEMENT IS REQUIRED (37 C.F.R. § 1.27), EXCEPT IF ONE FILED IN A PRIOR APPLICATION IS RELIED UPON (37 C.F.R. § 1.28).

ADDRESS TO:

Assistant Commissioner for Patents
Box Patent Application
Washington, DC 20231

5. ☐ Microfiche Computer Program (Appendix)
6. Nucleotide and/or Amino Acid Sequence Submission
(if applicable, all necessary)
 - a. ☐ Computer Readable Copy
 - b. ☐ Paper Copy (identical to computer copy)
 - c. ☐ Statement verifying identity of above copies

ACCOMPANYING APPLICATION PARTS

7. ☒ Assignment Papers (cover sheet & document(s))
8. ☐ 37 C.F.R. § 3.73(b) Statement of Power of Attorney
(when there is an assignee)
9. ☐ English Translation Document (if applicable)
10. ☒ Information Disclosure Statement (IDS)/PTO-1449 ☒ Copies of IDS Citations
11. ☐ Preliminary Amendment 19 references
12. ☒ Return Receipt Postcard (MPEP 503)
(Should be specifically itemized)
13. ☐ * Small Entity Statement(s) ☐ Statement filed in prior application, Status still proper and desired
(PTO/SB/09-12)
14. ☐ Certified Copy of Priority Document(s)
(if foreign priority is claimed)
15. ☒ Other: check

16. If a CONTINUING APPLICATION, check appropriate box, and supply the requisite information below and in a preliminary amendment:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No. _____ / _____

Prior application information: Examiner _____ Group / Art Unit: _____

For CONTINUATION or DIVISIONAL APPS only: The entire disclosure of the prior application, from which an oath or declaration is supplied under Box 4b, is considered a part of the disclosure of the accompanying continuation or divisional application and is hereby incorporated by reference. The incorporation can only be relied upon when a portion has been inadvertently omitted from the submitted application parts.

17. CORRESPONDENCE ADDRESS

☐ Customer Number or Bar Code Label

(Insert Customer No. or Attach bar code label here)

or ☐ Correspondence address below

Name	David B. Cochran, Esq.				
	Jones, Day, Reavis & Pogue				
Address	North Point				
	901 Lakeside Avenue				
City	Cleveland	State	OH	Zip Code	44114
Country	US	Telephone	216-586-3939	Fax	216-579-0212

Name (Print/Type)	David B. Cochran	Registration No. (Attorney/Agent)	39,142
Signature	David B. Cochran	Date	8/26/99

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Title of the Invention

Electronic Commerce System and Method

Inventor

Brian K. Wharton

609230" 623333

Electronic Commerce System and Method

BACKGROUND OF THE INVENTION

1. Technical Field

The present invention is directed to the field of electronic commerce ("E-Commerce.")

5 More specifically, the invention relates to systems and methods for conducting electronic commerce in a multiple-vendor environment, such as in an electronic mall or through an electronic portal.

2. Description of the Related Art

10 Electronic shopping systems are known in the art, and more recently E-Commerce shopping systems implemented over a wide-area network, such as the Internet, have become pervasive. These systems, however, suffer from many disadvantages, both from the vendor's (or merchant's) perspective, and from the customer's perspective. One problem with these systems relates to the logistical difficulties in maintaining and operating an online shopping system. These difficulties, such as payment verification, accounting/billing, order fulfillment, etc., can prove to be very expensive for medium and small-sized vendors seeking to establish
15 on online presence.

20 Another problem that has plagued these systems is the difficulty in consolidating or aggregating product data from multiple vendors so that customers can simultaneously shop from multiple vendor platforms. In this field, it is desirable to provide a framework where a customer can (in one electronic shopping trip) purchase one item from one vendor, and then

immediately purchase another item from a different vendor and yet have a single integrated checkout and a single transaction validation process.

Known attempts at aggregating product data in order to deliver a unified shopping experience mostly include what are known as “aggregation” systems. In these systems, the aggregator sets up a single E-Commerce platform that includes a massive database for storing product data from numerous vendors. These types of systems, however, suffer from many disadvantages. First, many established vendors do not favor these systems because the vendors essentially lose control of their E-Commerce solution. Many vendors have invested large amounts of time and money in perfecting their own E-Commerce systems, and, therefore, they are reluctant to turn control of their electronic shopping experience to a third party (the aggregator), who then is responsible for maintaining the quality and efficiency of the vendor’s E-Commerce solution. Second, many vendors want to have the flexibility of maintaining their own business rules that apply to their customers. To produce a single E-Commerce system that accommodates all of the business rules of a plurality of vendors is an enormous task, and one that is not easily achieved. Third, most vendors want to retain control over their product catalog and customer directory. If the product catalog is maintained by the aggregator system, then the catalog may not be as current or complete as the vendor desires. Moreover, from the aggregator’s perspective, it may be very difficult to deal with the massive amount of data coming from the variety of vendors that are aggregated on its system, whose data are likely in different formats that all must be reformatted in order

to work together within the single aggregation system. For at least these reasons, as well as others, these types of E-Commerce frameworks have achieved only limited success.

Thus, there remains a need in this field for an E-Commerce framework that satisfies the needs of customers by providing a single, unified shopping experience, and also satisfies the needs of vendors by allowing them to retain control of their product and customer databases but by relieving them of the logistical difficulties in operating an E-Commerce system.

SUMMARY OF THE INVENTION

An E-Commerce system and method provide a single, unified back-end transaction processing system coupled to a plurality of vendor commerce systems through an E-Commerce portal. The vendor commerce systems include local catalog and customer data, as well as a local shopping basket and local business rules that are specific to a particular vendor. The unified back-end processor includes software programming for interfacing to numerous back-end processing systems, such as payment verification, accounting/billing and order fulfillment systems. Also included at the back-end processor are a variety of data storage devices for storing merchant-specific and customer-specific transaction processing information, and also a global shopping basket for storing transaction order items that are generated during a customer interaction with the plurality of vendor commerce systems associated with the E-Commerce system. A unique payment proxy system for interfacing the back-end transaction processing system to a plurality of payment verification systems is also provided.

According to one aspect of the invention, an E-Commerce system is provided that includes a plurality of vendor commerce systems; a plurality of back-end processing systems for processing transaction requests generated by the plurality of vendor commerce systems; and a transaction processor coupled between the plurality of vendor commerce systems and the plurality of back-end processing systems, wherein the transaction processor includes a global shopping basket for storing transaction information generated by the plurality of vendor commerce systems, and a back-end processor interface for processing and routing the stored transaction requests to the plurality of back-end processing systems.

According to another aspect of the invention, a method is provided for conducting E-Commerce, comprising the steps of: (A) connecting to an E-Commerce portal; (B) linking from the E-Commerce portal to a vendor commerce system associated with the E-Commerce portal; (C) browsing a local catalog of products stored at the vendor commerce system and selecting a particular product for purchase; (D) transmitting a transaction packet from the vendor commerce system to a common transaction processing system via the Internet, and storing the transaction packet in a global shopping basket; (E) returning to step (A) and repeating steps (B), (C) and (D) until no additional products are to be purchased; (F) segmenting the transaction packet information stored in the global shopping basket and aggregating individual product order items by vendor; and (G) processing the individual product order items for each vendor at the transaction processing system by communicating transaction information between the transaction processing system and a plurality of back-end processing systems.

Still another aspect of the invention provides a payment proxy system for use with an online transaction processor, comprising: a payment proxy interface for communicating information to and from the transaction processor; runtime payment logic for determining, in real-time, how to process a particular transaction request transmitted to the payment proxy from the transaction processor; and a plurality of payment connection modules coupled to the runtime payment logic for interfacing the transaction request to one of a plurality of payment verification systems.

Yet another aspect of the invention provides an E-Commerce framework, comprising: a plurality of vendor commerce systems linked to a common E-Commerce portal, wherein each vendor commerce system includes a local product catalog and a local shopping basket; a transaction processor linked to the E-Commerce portal via a computer network, the transaction processor having a global shopping basket and an interface for communicating transaction information between the local shopping baskets of the vendor commerce systems and the global shopping basket of the transaction processor; a plurality of payment verification systems for authenticating transaction requests generated by the transaction processor when a customer of the framework engages a global checkout function; and a payment proxy system coupled between the transaction processor and the plurality of payment verification systems for transmitting transaction requests generated by the transaction processor to the appropriate payment verification system.

It should be noted that these are just some of the many aspects of the present invention. Other aspects not specified will become apparent upon reading the detailed description set forth below.

The present invention overcomes the disadvantages of presently known E-Commerce systems for aggregating multiple vendor sites, and also provides many advantages, such as:

(1) providing a common framework for vendor commerce systems while permitting the vendor systems complete control over their own product and customer data; (2) removing the logistical difficulties in dealing with back-end processing that is inherent in most E-Commerce installations; (3) providing a common back-end processing interface so that vendor systems can quickly and reliably interface to the E-Commerce framework (with minor modifications to their existing system), and so that additional back-end processing functions can be easily integrated into the framework; (4) providing a unified shopping experience between multiple vendor commerce systems but retaining a single checkout process; (5) providing a unique payment proxy system for interfacing the transaction processor to a plurality of payment verification systems; and (6) providing a variety of realtime scripting commands for customizing the transaction processing of a particular merchant, or a particular customer.

These are just a few of the many advantages of the present invention, which is described in more detail below in terms of the preferred embodiments. As will be appreciated, the invention is capable of other and different embodiments, and its several details are capable of modifications in various respects, all without departing from the spirit of the invention.

Accordingly, the drawings and description of the preferred embodiments set forth below are to be regarded as illustrative in nature and not restrictive.

BRIEF DESCRIPTION OF THE DRAWINGS

The present invention satisfies the general need noted above and provides many advantages, as will become apparent from the following description when read in conjunction with the accompanying drawings, wherein:

FIG. 1 is a system-level diagram of a preferred E-Commerce architecture according to the present invention, including an Internet Commerce Center ("ICC") transaction processor, an electronic mall including an E-Commerce portal and a plurality of vendor commerce systems, a payment proxy system, and other back-end processing computer systems;

FIG. 2 is a flowchart detailing the preferred method steps of a customer interacting with the preferred E-Commerce architecture set forth in FIG. 1;

FIG. 3 is a flowchart detailing the preferred method steps carried out by the ICC transaction processor during a global checkout procedure; and

FIG. 4 is a logical block diagram showing the preferred interaction between the ICC transaction processor and the payment proxy system, both shown in FIG. 1.

DETAILED DESCRIPTION OF THE DRAWINGS

Turning now to the drawing figures, FIG. 1 sets forth a system-level diagram of a preferred E-Commerce architecture **10** according to the present invention. This architecture **10** (or “framework”) includes an ICC transaction processor **12** coupled to a plurality (N) of vendor commerce systems **34, 36, 38** via an electronic network **30**, such as the Internet or some other type of wide-area network (“WAN”). Alternatively, the present invention could be implemented via a wide-band cable network, wireless data network, or any other type of distributed communications network.

Each of the vendor commerce systems **34, 36, 38** may include local E-Commerce elements, such as a local catalog of products **46**, a local shopping basket **52**, a local customer directory **48**, and may also include local purchasing and workflow rules **50, 54**. The local catalog of products **46** is a database maintained by the owner of the particular vendor commerce system, and includes a listing of those products that are offered for sale by the particular vendor. So, for example, a vendor of clothing products would have information identifying specific items of clothing, along with sizing, pricing and other information specific to that vendor stored in their local catalog **46**, while a vendor of computer products would have similar information stored in their local catalog **46**, but with respect to computer product information.

Each vendor commerce system also maintains a local shopping basket **52**. This E-Commerce element (the local shopping basket **52**) is used to temporarily store transaction information for the particular vendor commerce system. So, for example, if a customer

connects to one of the vendor commerce systems **34**, and selects a particular product for purchase, that product information and purchase information would be stored locally at vendor commerce system **34** in its local shopping basket **52**. In like manner, each vendor commerce system **34, 36, 38** maintains its own local shopping basket **52** to store product and purchase information.

The vendor commerce systems, which are maintained by the owners of these systems, may also include local customer directories **48** and local workflow and purchasing rules **50, 54** that are specific to the individual vendor system. The local customer directory **48** includes information (such as a user-name and password) that controls whether a particular customer **42** can log into and purchase products from the particular vendor commerce system **34, 36, 38**. The local workflow and purchasing rules **50, 54** are generally specific to each vendor, and set forth particular rules that may affect how the specific commerce system deals with certain transactions. For example, a particular customer **42** may only be authorized to make a purchase of less than \$5,000, and if the items stored in the local basket **52** exceed this amount, then authorization from another individual is required. In this situation, the system can be programmed to send an email or other notification to the other individual to obtain authorization. Other, more complicated workflow and purchasing rules may be implemented within each vendor system.

Optionally, the vendor commerce systems **34, 36, 38** may be aggregated into an “electronic mall” **56**, by coupling the vendor commerce systems **34, 36, 38** to one or more E-Commerce portal(s) **32**. As shown in Figure 1, the vendor commerce systems **34, 36, 38**

are coupled to the E-Commerce portal **32** over the same electronic network **30** that is coupled to the ICC transaction processor **12**. This is just one configuration of the framework, and other configurations are possible, such as by coupling the vendor commerce systems **34**, **36**, **38** directly to the E-Commerce portal **32**, or by coupling them to the E-Commerce portal **32** by alternative electronic networks, by multiple networks, etc.

By aggregating the vendor systems through the E-Commerce portal **32**, a more unified shopping experience is established. So, for example, a particular portal **32** may provide a common graphical user-interface to numerous vendor commerce systems **34**, **36**, **38**, just like a regular mall (*i.e.*, non-electronic) has a common interface to a set of stores that can be accessed through the common areas of the mall. Organizing the E-Commerce system **10** with the electronic mall interface **32** provides other advantages beyond the common look-and-feel that may be implemented through the E-Commerce portal **32**. First, this interface provides the ability to implement and then conduct cross-vendor search functions. This can be done by providing an index into each of the vendor commerce system's catalogs **46** at the E-Commerce portal **32** (or at least accessible from the E-commerce portal). The index can then be searched (globally) so that a customer **42** can look for products across a plurality of vendors simultaneously without having to actually visit (or connect to) any of the individual vendor commerce systems **34**, **36**, **38**.

Second, a standard categorization scheme could be implemented through this electronic mall **56** structure. In this implementation, a standard category system would be implemented at the E-Commerce portal **32**, which would be translated into more specific

categories that are used by the individual vendor systems **34, 36, 38**. For example, the mall **56** may include several computer manufacturers, each of which uses their own scheme for categorizing products, such as modems. One vendor may use the term "computer modems," while another vendor may use the term "computer peripherals" to describe the same types of products. By implementing a standardized categorization scheme at the E-Commerce portal **32**, the present invention provides the ability to then translate a generic customer search request, such as "modem," into a number of different categories that are more specific to the individual vendor commerce systems **34, 36, 38** that are coupled through the portal **32**. This provides easier search and retrieve capabilities for the customer **42**, and increases the potential that relevant products will be uncovered by the search.

The ICC transaction processor **12** provides a common gateway between the multiple vendor commerce systems **34, 36, 38** and the various back-end processing systems **22, 24, 26, 28** that are necessary to construct a viable E-Commerce solution. The ICC transaction processor **12** preferably includes a global shopping basket **14**, as well as integrated software programming for interfacing, managing and communicating with the back-end E-Commerce elements that provide payment verification, accounting/billing, order fulfillment, and any other back-end processing functions, so that these functions do not need to be implemented at each of the vendor commerce systems **34, 36, 38**. Preferably, this integrated software programming takes the form of a common application programming interface ("API") that can be scaled to connect the ICC transaction processor **12** to numerous other systems and services as required. By using this common API as a means for controlling the back-end

processing functions, as new systems or back-end functions are added to the E-Commerce framework, they can simply be plugged into the appropriate software hooks of the API. In this manner, as these new systems or functions are added to the common API interface, they become available to all of the vendor commerce systems **34, 36, 38** that are coupled to the ICC transaction processor **12**.

Also shown in FIG. 1 is a “global” shopping basket **14**, which is coupled to the ICC transaction processor **12**. The global shopping basket **14** aggregates transaction information from numerous vendor commerce systems during a customer’s shopping session. By providing this “global” shopping basket **14** at the ICC transaction processor **12**, a customer **42** can browse, search, and purchase multiple products from multiple vendor commerce systems **34, 36, 38**, and yet when the customer **42** is ready to leave the system, only a single, unified checkout is required. The ICC transaction processor **12** then manages all of the back-end transaction details, transparent to the vendor commerce systems, based on merchant-specific and/or customer-specific transaction processing rules stored, respectively, in the associated merchant database **18** and customer database **58**.

The foregoing description reveals a significantly different model for conducting E-Commerce transactions than is presently known in this area, where the back-end processing functions, including payment processing, order fulfillment, accounting/billing, etc. are typically performed by the individual vendor commerce systems **34, 36, 38**. By removing this logistical burden from the vendor commerce systems, the present invention provides great utility over the prior art E-Commerce systems. This framework also provides tremendous scalability and

economies of scale for each additional vendor commerce system that attaches to and communicates with the ICC transaction processor **12**, since these new systems can take advantage of the advances in the integrated API at the ICC transaction processor **12** that may have been implemented or augmented for other vendor commerce systems that are already part of the inventive framework.

5 The vendor commerce systems **34**, **36**, **38** are programmed to communicate transaction information to the ICC transaction processor **12** using a universal transaction interface comprising “transaction packets” **44**. These transaction packets **44** transfer information from the vendor commerce systems **34**, **36**, **38** to the ICC transaction processor **12** during the course of a customer’s **42** interaction with the framework. The ICC transaction processor **12** then stores this information in the global basket **14**, pending global checkout by the customer **42**. The transaction packets **44** may include a variety of order information, such as an order header **44A** and a plurality of order entries **44E** that correspond to the items purchased at the particular vendor commerce system. The order header **44A** may include customer authentication information **44B**, merchant (or vendor) authentication information **44C** or time stamp data **44D**. This authentication information **44B**, **44C** may take a variety of forms, and may be used for a variety of purposes, such as to verify which vendor commerce system the transaction packet is coming from, to verify the customer’s identity using an embedded digital signature or other types of encrypted information, or for other similar purposes.

Also included in the transaction packet are one or more order entries **44E**, which indicate to the ICC transaction processor **12** what items are being purchased by the customer **42**. A variety of information may be included in each order entry, such as SKU number, product identification, quantity and price, to name a few. Other items, of course, could be added to the transaction packet **44** depending on the needs of the various vendors and the specific structure of the overall framework. Alternatively, the transaction packet **44** could include a "free form" or "vendor-defined" capability to process information for specific vendors. Using this approach, the transaction packet **44** may include one or more "name-value" pairs, which are free-form entry fields in the transaction packet **44** that can be customized (*i.e.*, programmed) for a particular vendor and used for whatever back-end processing purposes are necessary for processing that particular vendor's transaction data. In this manner, although a generic (or universal) transaction interface protocol is established between the vendor systems and the common ICC transaction processor **12**, a degree of customization is available so that vendor-specific transaction data can be passed to and processed by the back-end systems. As described in more detail below, this flexibility in the transaction interface augments the other vendor-specific transaction processing rules that may be stored in the merchant database **18**.

By providing this universal transaction interface, the present invention provides a multiple vendor transaction framework in which each vendor can build and maintain their own E-Commerce system (having its own local E-Commerce elements), while at the same time "outsourcing" the back-end E-Commerce processing functions to a common transaction

engine. Furthermore, by providing a global shopping basket **14** at the common transaction processor **12**, a customer **42** can, in a single session, purchase items from a plurality of vendor commerce systems but only have a single checkout process for effecting the purchase of all of the selected items.

Coupled to the “back-end” of the ICC processor **12** may be several other computer systems for executing various E-Commerce functions, such as a payment proxy system **16** (which, as described in more detail in connection with FIG. 4, provides a universal interface between the ICC transaction processor **12** and a plurality of payment verification systems **22**, **24**), accounting/billing systems **26**, and any other back-end processing systems **28** that may be necessary to provide the required E-commerce functionality, such as vendor general ledgers, order fulfillment, warehousing, shipping/receiving, customer service systems, etc. The payment proxy system **16** may also couple to a merchant database **18** and a transaction capture database **20**. The merchant database **18** stores merchant-specific transaction processing information for use by the ICC transaction processor **12** in processing transaction requests for particular merchants, and the transaction capture database **20** stores information about each transaction processed through the payment proxy system **16**. These elements are further described below.

FIG. 2 is a flowchart detailing the preferred method steps of a customer **42** interacting with the E-Commerce architecture set forth in FIG. 1. Beginning at step **70**, the customer **42** connects to the Electronic Mall **56** via the E-Commerce portal **32**. This connection step is preferably over a public packet-switched electronic network **30**, such as the Internet, but

may, alternatively be made by other types of electronic connections. At the E-Commerce portal **32**, which preferably employs a common graphical user-interface (“GUI”) that is accessible through many types of browser technology, the user may select to shop from a number of vendors by simply clicking (*i.e.*, selecting) the name of the vendor, or by selecting a graphic image on the GUI that is identified with the particular vendor. So, for example, if the customer **42** wants to buy computer equipment, a graphic of the computer vendor may be displayed at the opening page of the E-Commerce portal **32**. This graphic is preferably a link (such as a hypertext link coded in HTML or XML) that connects the user directly to the particular vendor commerce system.

Alternatively, and as described above, the E-Commerce portal **32** may include a searchable cross-vendor index that includes listings of all (or some) of the products being sold by all (or some) of the vendors connected through the E-commerce portal **32**. Thus, in step **72**, a customer **42** may conduct a cross-vendor product search of this index in order to locate one or more vendors that carry the particular product (or type of product.) Having conducted this type of search, the E-Commerce portal **32** then displays a listing of products/vendors that meet the search criteria. This listing would preferably include hypertext (or other types of) links to take the customer directly to the relevant vendor commerce system **34, 36, 38**, or directly to the product description stored in the local catalog **46**.

Whether through a manual search, or an automatic search/retrieval step, at some point (step **74**) the E-Commerce portal **32** provides a display of products or vendors that includes links to the vendor’s commerce systems **34, 36, 38**. The customer **42** then selects one of

these links and is connected directly to the particular system. At step 76 of the method, the customer 42 then interacts with the vendor's commerce system by, for example, entering a user-name and password for verification with the local customer directory 48, conducting a local search and retrieval operation on the local catalog 46, and selecting product(s) for purchase by saving this information to the systems' local shopping basket 52. During this interaction with the vendor's system, local workflow and purchasing rules 50, 54 can be applied to the attempted transaction as required. As long as the customer wants to purchase more products, this local process can continue at the vendor's system, with additional purchase information being stored at the local shopping basket 52.

When the customer is done shopping at a particular vendor commerce system, a local checkout step is performed 78, in which one or more transaction packets 44 are constructed at the vendor commerce system and then transmitted over the network 30 to the ICC transaction processor 12, where this information is stored in the global shopping basket 14 at step 80. As described above, this transaction packet 44 may include order header information 44A, such as customer authentication data 44B, merchant authentication data 44C, a time stamp 44D, and a plurality of order entry items 44E that describe the purchased items. Alternatively, during a local shopping process at one of the vendor commerce systems 34, 36, 38, a transaction packet 44 can be generated and transmitted to the ICC transaction processor 12 as each new item is purchased.

When the customer 42 has finished at a particular vendor commerce system 34, 36, 38, a link is then provided at step 82 (such as an HTML link or "portal" graphic at the

vendor's system) in order to navigate the customer **42** back to the E-Commerce portal **32**.

At step **84**, the customer **42** decides whether or not to conduct more transactions or to checkout and purchase the selected products. If the customer **42** wants to buy more products, then additional manual or automatic search/retrieval steps can be conducted at the E-Commerce portal **32** by returning to step **72**, where the entire shopping process at the local vendor system (steps **72-84**) is repeated until the customer **42** decides to conduct a global checkout. Note that as the customer **42** is linked to other vendor commerce systems to purchase additional products, additional transaction packets **44** are transmitted to the ICC transaction processor **12**, where they are stored in the global basket **14**. In this manner, the global basket **14** may include transaction data from numerous vendor commerce systems **34**, **36**, **38**.

Finally, at step **86**, the customer **42** selects the global checkout option at the E-Commerce portal **32**, which then transmits a signal to the ICC transaction processor **12** indicating that the customer is ready to finalize the shopping session. The ICC transaction processor **12** then prompts the E-Commerce portal **32** for customer-specific payment verification information, such as a credit-card number and expiration date, customer authentication information, or other information used to verify the authenticity of the purchase. The ICC transaction processor **12** then authorizes the transaction with one or more payment verification systems **22**, **24**, preferably through the intermediary payment proxy system **16**, which, as described in more detail below, operates as an interface between the ICC transaction processor **12** and numerous payment verification systems **22**, **24**.

Assuming that the transaction is authorized, the ICC transaction processor **12** then engages one or more back-end processing functions, such as communicating with an accounting/billing system **26**, or other back-end systems **28**, such as an order fulfillment system, customer service system, etc. In this manner, payment verification, accounting/billing, order fulfillment, and any other necessary back-end processing functions can be aggregated across multiple vendors and these functions can be centralized to a common transaction processing system and shared amongst multiple vendors, thereby alleviating the individual vendors from having to manage these logistical functions, and at the same time providing the customer **42** with an integrated one-stop E-Commerce shopping experience. These back-end processing functions, which are preferably implemented and managed in the present invention through the common API operating at the ICC transaction processor **12**, are described in more detail in FIG. 3.

FIG. 3 is a flowchart detailing the preferred method steps carried out by the ICC transaction processor during a global checkout procedure. At step **90**, the ICC transaction processor **12** queries the global basket **14** and segments the transaction packet information stored there for the particular customer session into a plurality of individual transaction order items **44E**, and then aggregates all of the transaction order items **44E** by merchant. This step results in a plurality of transaction order items that are grouped by merchant for processing according to the specific transaction processing rules of the particular merchant. At step **92**, the system **12** determines if all of the transaction order items have been processed for the particular customer session. If so, then the back-end global checkout process ends at step **94**.

If not, then the back-end system **12** loops through steps **96-100** (the transaction processing steps) until all of the transaction order items have been processed.

Turning now to the specific transaction processing steps, at step **96**, the ICC transaction processor **12** queries the merchant database **18** in order to obtain the merchant-specific transaction processing rules. Each merchant (or vendor) can have their own specific rules setup for determining how their transactions are processed by the common back-end system **12**. In this manner, although the ICC transaction processor **12** is common to all of the participating vendor commerce systems **34, 36, 38**, each vendor commerce system can have a customized back-end processing scheme. Merchant-specific data processing rules stored in the merchant database **18** may include: (1) merchant authentication information or a merchant account number; (2) preferred payment processor information, such as what payment verification system to use for its transactions; (3) order fulfillment instructions; (4) accounting/billing instructions; and (5) other merchant-specific rules, including, optionally, certain merchant-specific runtime scripting algorithms.

The merchant-specific runtime scripting algorithms add a measure of real-time decision making and flexibility to the ICC transaction processor **12** that is unknown in the prior art E-Commerce systems. For example, a merchant may desire to have implemented a more sophisticated methodology for determining what payment verification system **22, 24** to use for its transactions. The merchant may be concerned primarily about speed of processing, and secondarily concerned about cost. In this situation, a flexible, re-programmable runtime script can be included with the merchant-specific processing

information stored in the merchant database **18** that interactively determines (through the payment proxy **16**) which payment verification systems are operating most efficiently (*i.e.*, fastest turn-around time), and then determines for those that are operating quickly, which system is the cheapest. Or the script may simply be designed to select the cheapest system, or the fastest, or selected based on some other criterion that is important to the particular merchant. The same type of scripting function may be implemented between the ICC transaction processor **12** and the accounting/billing system **26** or any of the other back-end processing systems **28** in order to create a real-time back-end processing environment that is designed based on the requirements of the particular merchant.

After the ICC transaction processor **12** has obtained the merchant-specific rules, at step **98** it queries the customer database **58** in order to obtain any customer-specific transaction processing rules. Although these customer-specific rules may take a variety of forms, in the preferred embodiment of the invention, these rules will generally include a customer account number (for verification purposes) and one or more runtime scripts for providing interactive feedback about the processed transactions to the customer's system **42**.

For example, the customer system **42** may be operating some type of enterprise system software coupled to a purchasing system for tracking purchased items. In this situation, a runtime script can be stored at the customer database **58** and processed by the ICC transaction processor **12** at the time that relevant transaction items are processed. In this manner, information regarding actual purchases that are committed by the system **10** can be transmitted back to the customer's system **42** in a format that is compatible with the

customer's purchasing software system. Other types of runtime scripting algorithms could certainly be implemented between the ICC transaction processor **12** and the customer's system **42**.

Having obtained the merchant-specific rules at step **96** and the customer-specific rules at step **98**, the ICC transaction processor **12** then processes the various transaction order items associated with the particular merchant at step **100**, and, using the common transaction API implemented at the ICC **12**, communicates the appropriate processing information to and from the various back-end processing systems. These processing steps may include: (1) verifying the merchant and customer identification information against that stored in the databases **18**, **58**; (2) conducting payment verification functions via the payment proxy (and perhaps according to a runtime payment verification script obtained from the merchant database **18**); (3) carrying out accounting/billing functions and communicating with the appropriate account/billing back-end processing system, which may be co-located with the ICC transaction processor **12**, or which may be located at some other place; (4) carrying out order fulfillment functions so that the correct product(s) get shipped to the right location; and (5) executing any other runtime scripts (either merchant-specific or customer-specific) that may have been obtained from either the merchant database **18** or the customer database **58**. The system then loops back to step **92** to process additional transaction order items for another merchant.

FIG. 4 is a logical block diagram showing the preferred interaction between the ICC transaction processor **12** and the payment proxy system **16** shown in FIG. 1. The payment

proxy system 16 provides a universal payment verification interface between the ICC transaction processor 12 and a plurality of payment verification systems 22, 24. Although described in the context of FIG. 1, the payment proxy system 16 can be used with a variety of different frameworks and different E-Commerce systems, and is not limited to the system shown in FIG. 1.

Preferably, the payment proxy system 16 includes a front-end payment proxy interface module 60, runtime payment logic 16, and a plurality of payment connection modules 64. As shown in FIG. 1, in the preferred framework, the payment proxy system 16 is also coupled to a merchant database 18 and a transaction capture database 20. The elements of the payment proxy system 16 are preferably implemented via software instructions stored within the payment proxy system 16, but could, alternatively be implemented in hardware or a mix of hardware and software instructions. The software instructions for carrying out the functionality of the payment proxy could be programmed using a variety of different programming techniques and using a variety of different programming languages as those of skill in this art will appreciate.

The basic purpose of the payment proxy system 16 is to provide a universal payment verification interface between one or more transaction processing systems (or other E-Commerce systems) and a plurality of payment verification hosts. In this manner, flexible and efficient payment verification services can be provided to a plurality of E-Commerce systems, without any need for the E-Commerce systems to know the details of communicating with

and effecting transactions with the payment verification systems. Such a universal E-Commerce payment verification interface is unknown in the prior art.

Operationally, the payment proxy **16** preferably works as follows. At step 1 (FIG. 4), the ICC transaction processor **12** (or other E-Commerce system) sends a particular transaction for payment authorization. This information is communicated to the payment proxy interface **60** using a software programmed API that provides a universal interface to E-Commerce systems. As with the other communication APIs noted above, this software programming can take a variety of different formats, and may be programmed using a variety of different programming techniques and languages, which would be apparent to one of skill in this field. The importance of the interface API's is that they provide a common language that can be provided to other E-Commerce systems and merchants to enable them to interface their systems to the framework shown in FIG. 1 and the payment proxy system **16** shown in FIG. 4. The preferred interface to the payment proxy **16** utilizes HTTP or HTTPS packets, although many other interface techniques could be used, such as, for example, CIP, Sockets, or RPC, to name but a few.

At step 2, the payment proxy **16** executes the runtime payment logic **62** in order to determine how to process the particular transaction authorization request. The runtime payment logic **62** can take many forms and can operate many functions, in addition to simply determining where to route the particular transaction request. For example, various business rules particular to a certain merchant could be executed by the runtime payment logic. These business rules may take the form of scripting information that is stored in the associated

merchant database **18**. As described above, the merchant database **18** may include a variety of runtime scripts for instructing the E-Commerce system how to process the transactions for a particular merchant. It is the payment proxy's runtime payment logic **62** that executes these stored scripting commands to, for example, determine which payment verification system **22**, **24** is operating most efficiently, or most inexpensively, etc., and then to route the transaction authorization based on the results of this determination. Many other real-time processing functions could also be implemented by the runtime payment logic **62**, such as, for example, applying additional calculations to a particular order; interfacing information with an associated order fulfillment system; sending transaction alerts or other messages to an e-mail or pager system when certain products are purchased, certain price thresholds are exceeded, etc.; or to interface with other databases to either receive or update legacy data.

Having determined how to process the particular transaction authorization request, the payment proxy **16**, at step 3, then sends the transaction to the proper payment connection module **64**. The payment connection modules **64** each provide interface programming for instructing the payment proxy **16** how to communicate with the plurality of payment verification systems **22**, **24**. At step 4, the transaction authorization is routed to the proper payment verification system. The payment processor then authenticates the transaction request at step 5 and transmits back to the payment proxy system **16** a failure code (indicating that the transaction was not authorized), or an "auth-code" (indicating that the transaction was authorized.) The payment proxy **16** then routes the code back to the ICC transaction processor **12** (or other E-Commerce system) at step 6, which, at step 7, then reacts to the

code by, for example, sending a message to the customer indicating whether the transaction has failed or has been authorized.

As noted above, the payment proxy system **16** is preferably coupled to a merchant database **18** and a transaction capture database **20**. The merchant database **18** stores merchant-specific transaction processing information, such as the aforementioned runtime scripts, and may also include other merchant-specific payment processing information as described above. The transaction capture database **20** is used by the payment proxy system **16** to store information regarding all transaction authorization requests that pass through the system **16**. This is done mostly for reporting purposes.

The preferred embodiments of the invention described with reference to the drawing figures are presented only as examples of the present invention, which is limited only by the claims. Other elements, steps, methods and techniques that are insubstantially different from those described herein are also within the scope of the invention.

What is claimed:

1. An E-Commerce system, comprising:

a plurality of vendor commerce systems;

a plurality of back-end processing systems for processing transaction requests

generated by the plurality of vendor commerce systems; and

a transaction processor coupled between the plurality of vendor commerce systems and the plurality of back-end processing systems, wherein the transaction processor includes a global shopping basket for storing transaction information generated by the plurality of vendor commerce systems, and a back-end processor interface for processing and routing the stored transaction requests to the plurality of back-end processing systems.

2. The E-Commerce system of claim 1, further comprising:

an E-Commerce portal coupled to the plurality of vendor commerce systems.

3. The E-Commerce system of claim 1, wherein the plurality of vendor commerce systems include: a local catalog of products and a local shopping basket.

4. The E-Commerce system of claim 3, wherein the plurality of vendor commerce systems further include: a local customer directory and local workflow rules.

5. The E-Commerce system of claim 1, further comprising:

a transaction interface implemented at the plurality of vendor commerce systems and at the transaction processor, wherein the transaction interface generates a transaction packet having a predefined format each time a customer using the E-Commerce system purchases a product at one of the vendor commerce systems, the transaction packet being transmitted from the vendor commerce system where the purchase is made by the customer to the transaction processor, where it is stored in the global basket.

6. The E-Commerce system of claim 5, wherein the format of the transaction packet includes:

an order header including: customer authentication information; merchant authentication information; a time stamp; and
one or more order entry items.

7. The E-Commerce system of claim 1, wherein the vendor commerce systems are coupled to the transaction processor via the Internet.

8. The E-Commerce system of claim 1, wherein the back-end processing systems include a plurality of payment verification systems.

9. The E-Commerce system of claim 1, wherein the back-end processing systems include: a plurality of payment verification systems; an accounting/billing system; and one or more order fulfillment systems.

10. The E-Commerce system of claim 8, further comprising:

a payment proxy system coupled between the transaction processor and the plurality of payment verification systems.

11. The E-Commerce system of claim 10, further comprising:

a merchant database and a transaction capture database coupled to the payment proxy system, wherein the merchant database stores merchant-specific payment verification rules, and the transaction capture database stores information regarding the transactions verified via the payment proxy system.

12. The E-Commerce system of claim 1, further comprising:

a customer database coupled to the transaction processor, wherein the customer database stores customer-specific transaction processing rules that instruct the transaction processor how to process a transaction for a particular customer; and

a merchant database coupled to the transaction processor, wherein the merchant database stores merchant-specific transaction processing rules that instruct the transaction processor how to process a transaction for a particular merchant.

13. The E-Commerce system of claim 12, wherein one of the customer database or merchant database include runtime scripting information for determining, in real-time, how to process a particular transaction generated by a particular customer or merchant.

14. The E-Commerce system of claim 10, wherein the payment proxy system includes:

a payment proxy interface for communicating information to and from the transaction processor;

runtime payment logic for determining, in real-time, how to process a particular transaction request transmitted to the payment proxy from the transaction processor; and

a plurality of payment connection modules coupled to the runtime payment logic for interfacing the transaction request to one of a plurality of payment verification systems.

15. A method of conducting E-Commerce, comprising the steps of:

(A) connecting to an E-Commerce portal;

(B) linking from the E-Commerce portal to a vendor commerce system associated with the E-Commerce portal;

(C) browsing a local catalog of products stored at the vendor commerce system and selecting a particular product for purchase;

(D) transmitting a transaction packet from the vendor commerce system to a common transaction processing system via the Internet, and storing the transaction packet in a global shopping basket;

(E) returning to step (A) and repeating steps (B), (C) and (D) until no additional products are to be purchased;

(F) segmenting the transaction packet information stored in the global shopping basket and aggregating individual product order items by vendor;

(G) processing the individual product order items for each vendor at the transaction processing system by communicating transaction information between the transaction processing system and a plurality of back-end processing systems.

16. The method of claim 15, wherein the processing step (G), further comprises the steps of:

(G)(1) querying a vendor database to obtain vendor-specific processing rules used by the transaction processing system to process the transaction order items for a particular vendor; and

(G)(2) querying a customer database to obtain customer-specific processing rules used by the transaction processing system to process the transaction order items for a particular customer.

17. A payment proxy system for use with an online transaction processor, comprising:

- a payment proxy interface for communicating information to and from the transaction processor;
- runtime payment logic for determining, in real-time, how to process a particular transaction request transmitted to the payment proxy from the transaction processor; and
- a plurality of payment connection modules coupled to the runtime payment logic for interfacing the transaction request to one of a plurality of payment verification systems.

18. An E-Commerce framework, comprising:


- a plurality of vendor commerce systems linked to a common E-Commerce portal, wherein each vendor commerce system includes a local product catalog and a local shopping basket;
- a transaction processor linked to the E-Commerce portal via a computer network, the transaction processor having a global shopping basket and an interface for communicating transaction information between the local shopping baskets of the vendor commerce systems and the global shopping basket of the transaction processor;
- a plurality of payment verification systems for authenticating transaction requests generated by the transaction processor when a customer of the framework engages a global checkout function; and

a payment proxy system coupled between the transaction processor and the plurality of payment verification systems for transmitting transaction requests generated by the transaction processor to the appropriate payment verification system.

6692390" 62222222

Abstract of the Disclosure

An E-Commerce system and method provide a single, unified back-end transaction processing system coupled to a plurality of vendor commerce systems through an E-Commerce portal. The vendor commerce systems include local catalog and customer data, as well as a local shopping basket and local business rules that are specific to a particular vendor. The unified back-end processor includes software programming for interfacing to numerous back-end processing systems, such as payment verification, accounting/billing and order fulfillment systems. Also included at the back-end processor are a variety of data storage devices for storing merchant-specific and customer-specific transaction processing information, and also a global shopping basket for storing transaction order items that are generated during a customer interaction with the plurality of vendor commerce systems associated with the E-Commerce system. A unique payment proxy system for interfacing the back-end transaction processing system to a plurality of payment verification systems is also provided.






Fig. 2




Fig. 3




Fig. 4

DECLARATION AND POWER OF ATTORNEY
(Sole Inventor)

I, Brian K. Wharton, hereby declare that I am a citizen of the United States and a resident of 2451 Myrtle Avenue, Hermosa Beach, California 90254; that I have reviewed and understand the content of the attached specification, including the claims (Jones, Day, Reavis & Pogue Docket No. 214014600004), and I believe that I am the original, first, and sole inventor of the subject matter which is claimed therein and for which a patent is sought on the invention or discovery entitled

ELECTRONIC COMMERCE SYSTEM AND METHOD

and that I acknowledge my duty to disclose information of which I am aware which is material to the examination of this application, in accordance with Title 37, Code of Federal Regulations, Section 1.56(a).

I hereby designate the following as my mailing address and telephone number:


Jones, Day, Reavis & Pogue
North Point
901 Lakeside Avenue
Cleveland, Ohio 44114
(216) 586-3939

and appoint each of the following as my attorneys with full power of substitution and revocation, to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:

Kenneth R. Adamo, Registration No. 27,299; Barbara Arndt, Registration No. 37,768; David B. Cochran, Registration No. 39,142; Cheryl L. Farine, Registration No. 36,796; Regan J. Fay, Registration No. 26,878; F. Drexel Feeling, Registration No. 40,602; Calvin P. Griffith, Registration No. 34,831; Paul V. Keller, Registration No. 42,713; David M. Maiorana, Registration No. 41,449; Timothy J. O'Hearn, Registration No. 31,552; Stephen D. Scanlon, Registration No. 32,755; Barry L. Springel, Registration No. 25,514; H. Duane Switzer, Registration No. 22,431; Michael W. Vary, Registration No. 30,811; Jason Vierra-Eisenberg, Registration No. 43,447; and James L. Wamsley, III, Registration No. 31,578

all having the above designated address.

I further declare that all statements made herein of my own knowledge are true and that all statements made herein on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.



Brian K. Wharton

Date 8/25/99

Post Office Address: 2451 Myrtle Avenue, Hermosa Beach, California 90254

663280" 6228860